




Re-integratie onderdeel behandeling en herstel

Prof dr Lode Godderis
KU Leuven - IDEWE

1



Frank JW, et al. Disability resulting from occupational low back pain. Part II: What do we know about secondary prevention? A review of the scientific evidence on prevention after disability begins. Spine (Phila Pa 1976). 1996 Dec 15;21(24):2918-29.

2

Acute fase

ziekteattest
krachtig middel
met belangrijke
bijwerkingen

Statement of Fitness for Work
For social security or Statutory Sick Pay

Patient's name: Mr, Mrs, Miss, Ms

I assessed your case on: / /

and, because of the following condition(s):

I advise you that: ☐ you are not fit for work.

☐ you may be fit for work taking account of the following advice:

If available, and with your employer's agreement, you may benefit from:

☐ a phased return to work ☐ amended duties

☐ altered hours ☐ workplace adaptations

Comments, including functional effects of your condition(s):

This will be the case for ☐ or from / / to / /

☐ (You will still need to assess your fitness for work again at the end of this period.)

Doctor's signature:

Date of statement: / /

Doctor's address:

Med 3 04/10

Verklaring van arbeidsonderbreking

Ondergetuende, Dokter in de Geneeskunde, verklaart heden persoonlijk te hebben onderzocht en onderzocht

M.

en hem (haar) onbekwaam bevonden om:

☐ arbeid te verrichten

☐ de lessen te volgen

☐ aan de turnlessen deel te nemen

☐ aan de zwaartlessen deel te nemen

☐ zware krachtinspanning te leveren

☐ te werken wegens noodzakelijke aanwezigheid bij zijn (haar) ziek kind

van tot/met 20 Inbegrepen

wegens:

☐ ziekte

☐ een ongeval hem (haar) overkomen op

☐ een heilkundige ingreep

☐ verlaging

☐ wegens consultatie en/of onderzoek

☐ raadpleging

☐ zwangerschapsverlof

Zich buitenhuis begeven:

☐ toegestaan

☐ verboden

behoudens voorkeuringen kunnen bezigheden hervat worden

op 20 voor %


op 20 voor 100 %

Hier komen Uw gegevens

Datum:

Handtekening:

3



Kausto J et al.. Self-certification versus physician certification of sick leave for reducing sickness absence and associated costs. Cochrane Database Syst Rev. 2019 May 14;5(5):CD013098.

4

Subacute fase

tijdig informeel
contact met werk
en aanpassing

[illegible]

5



Functioning

Health perception & psychological distress

Pain & work-health-interference perception

Recovery & return to work expectations

Return to work needs



Stressful life events

Stressful life events



Work-related factors

Turnover intention

Autonomy, learning,
development opportunities

Social support management & colleagues

Workload & Emotional burden

Job satisfaction & expectations



Person-related factors

Fear of colleagues


Perfectionism

6

Chronische fase


ondersteun en coach

Aantal uitkeringsgerechtigde langdurig zieken versus uitkeringsgerechtigde voltijds werklozen




7

Bezoek voorafgaand aan de werkherhvatting



Re-integratietraject



Boets, I and Godderis, L. Evaluatie van de impact van de nieuwe reglementering op de re-integratie op het werk. Kwantitatieve en kwalitatieve evaluatie. <https://werk.belgie.be/nl/onderzoeksprojecten/2020-evaluatie-van-de-impact-van-de-nieuwe-reglementering-op-de-re-integratie>

8



Focus op gewenste uitkomst: re-integratie



Person-centred en Vereenvoudig



Re-integratie onderdeel van behandeling en herstel
Snelle doorverwijzing naar arbeidsarts



Van controlerend naar faciliterend,
incentiverend en empowerend

Schaf verplichting ziekteattest af
Voer fitnote in
(Financiële) incentives voor werknemers en werkgevers (KMO)